

Lead2Passed

 Lead2Passed

[HOME](#) [ALL VENDORS](#) [GUARANTEE](#) [FAQ](#) [TESTIMONIALS](#)

[Login / Register](#) [My Shopcart \(1\)](#)

Input your exam code ...

Try before you buy

Download a free sample of any of our exam questions and answers

- ✓ Online Test Engine: Online Tool, Convenient, easy to study. Instant Online Access. Supports All Web Browsers.
- ✓ PDF format: Easy to read and print learning materials, our products are available in PDF file format.
- ✓ Desktop Test Engine: Installable Software Application. Simulates Real Exam Environment. Practice Offline Anytime.

✓ Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

★ 365 Days Free Updates

Free update is available within 365 days after your purchase. After 365 days, you will get 50% discounts for updating.

💎 Money Back Guarantee

Full refund if you fail the corresponding exam in 60 days after purchasing. And Free get any another product.

🚀 Instant Download

After Payment, our system will send you the products you purchase in mailbox in a minute after payment. If not received within 2 hours, please contact us.

<http://www.lead2passed.com>

Valid Certification Exam Dumps Materials and Study Guide -
Lead2Passed

Exam : 642-971

Title : Data Center Networking
Infrastructure Design Specialist

Vendors : Cisco

Version : DEMO

1. What advantage does InfiniBand have over Gigabit Ethernet in HPC environments?

- A. lower latency
- B. simpler cabling
- C. longer distance support
- D. more sophisticated traffic management

Correct: A

2. Which data center network-architecture change is a result of the adoption of blade and 1-RU server technologies?

- A. Layer 3 fault domains growing larger
- B. Layer 2 fault domains growing larger
- C. Layer 3 fault domains growing smaller
- D. Layer 2 fault domains growing smaller


Correct: B

3. A very large blade-server deployment has high throughput requirements for both data and storage networks. Which access layer option would you recommend?

- A. blade server Ethernet switch with Cisco SFS 3000 Series Multifabric Switch
- B. blade server InfiniBand switch with Cisco SFS 3000 Series Multifabric Switch
- C. blade server Ethernet switch that is connected to Cisco Catalyst 4948 top-of-rack switch
- D. blade server Ethernet switch that is connected to Cisco Catalyst 6500 Series end-of-rack switch

Correct: B

4. Refer to the exhibit. Each letter (A-D) represents a model for placement of a default gateway. Which model allows the maximum number of application and security services?



- A. model A
- B. model B
- C. model C
- D. model D

Correct: C


5. Which three of the following service modules can be deployed in redundant pairs with active/active failover? (Choose three.)

- A. ACE
- B. CSM
- C. NAM

- D.IDSM
- E.FWSM
- F.SSLSM

Correct:A D E

6.Refer to the exhibit. What do you need to configure to prevent spanning-tree loops from occurring between the two FWSMs?



- A.FWSMs in transparent mode
- B.ethertype ACLs to allow BPDUs
- C.FWSMs in multiple-context mode
- D.failover and state interfaces on the same VLAN

Correct:B

7.How is FCIP traffic marked with DSCP values?

- A.The Cisco MDS 9000 Series Multilayer Switch marks one DSCP value per FCIP tunnel.
- B.The Cisco MDS 9000 Series Multilayer Switch marks two DSCP values per FCIP tunnel.
- C.The aggregation layer Ethernet switch marks one DSCP value per FCIP tunnel.
- D.The aggregation layer Ethernet switch marks two DSCP values per FCIP tunnel.

Correct:B

8.Which two security vulnerabilities does the FWSM application inspection engine mitigate? (Choose two.)

- A.DoS attacks
- B.DDoS attacks
- C.SQL injection
- D.cookie altering
- E.web server worms


Correct:C D

9>Your customer plans to deploy FWSM and IDSM modules in the aggregation layer. Which design should you avoid?

- A.Layer 3
- B.InfiniBand
- C.Layer 2 loop-free
- D.Layer 2 looped square
- E.Layer 2 looped triangle

Correct:A

10.Refer to the exhibit. Your customer is filling server racks sequentially, filling one rack before beginning the next. Which two access layer designs present challenges in this environment? (Choose two.)



- A.Layer 3
- B.Layer 2 loop-free U
- C.Layer 2 looped square
- D.Layer 2 looped triangle
- E.Layer 2 loop-free inverted U

Correct:A B

11.You are a Cisco engineer of Pass4sure.com. You are implementing the Cisco Nexus environment for the company, so which two are requirements of FCoE in it? (Choose two.)

- A.Spanning Tree Protocol
- B.Use of jumbo frames
- C.TCP-driven retransmissions for flow control
- D.IEEE 802.3x extensions to enable lossless Ethernet

Correct:B D


12.You are the senior desktop administrator for Pass4sure.com. You are deploying network for the company. With your experience, which of following two Cisco service modules can be implemented in redundant pairs with active-active failover? (Choose two.)

- A.Cisco network analysis module
- B.Cisco ACE Application Control Engine
- C.Cisco Firewall Services Module (FWSM)

D.Cisco Catalyst 6500 Series SSL Services Module (CVDM-SSLSM)

Correct: B C

13. You are a Cisco engineer of Pass4sure.com. You are configuring the network for the company. The numbers in the ovals stand for the number of ports in each PortChannel (Refer to the exhibit). If VSS is deployed in the top four switches, as far as you know, how many ports at most that the virtual PortChannel in the core can have ?



- A.two
- B.four
- C.six
- D.eight

Correct: D


14. Which service module configuration is recommended to automatically detect and block traffic

from malicious hosts?

- A.FWSM
- B.IDSM that is deployed in IDS mode
- C.IDSM that is deployed in IPS mode
- D.FWSM that is coupled with the NAM

Correct:C

15.You are the senior desktop administrator for Pass4sure.com. A customer met a trouble: A failure occurs on one of the access layer uplinks(Refer to the exhibit). With your experience, which Layer 2 topology can cause a break in connectivity between the FWSMs?



- A.looped square
- B.looped triangle
- C.loop-free U
- D.loop-free inverted U

Correct:C

16.You work as the network administrator at Pass4sure.com. And you are familiar with Cisco product, so as much as you know, which Cisco product is implemented for content routing purposes?

- A.Cisco ACE GSS
- B.Cisco ACE Module
- C.Cisco ACE appliance
- D.Cisco Catalyst 6500 Series Switches

Correct:A

17.You work as a systems administrator at Pass4sure.com. You deploy the network for the company by using the default VDC high availability options in the Cisco Nexus 7010 Switch, what will happen then?

- A.The VDC is deleted, and no further action is performed.
- B.If dual supervisors are in use, a supervisor switchover is forced.
- C.The VDC is deleted and then re-created with the startup configuration.
- D.If a single supervisor is in use, a graceful restart is forced.

Correct:B

18.You are a help desk trainee for Pass4sure.com. One of your customers use the Cisco SFS

family of products to provide server-side InfiniBand integration, but as far as you know, which two Cisco products should be implemented to make up the solution? (Choose two.)

- A. Fibre Channel Host Channel Adapters
- B. InfiniBand switch modules
- C. Fibre Channel switch modules
- D. InfiniBand HCA card for IBM and Dell servers

Correct: B D

19. You work as a systems administrator at Pass4sure.com. In order to realize to service multicast traffic in a data center environment, what three of following options are effective ways? (Choose three.)

- A. deploying VRFs per address family
- B. configuring service modules in transparent or bridged mode
- C. configuring IGMP/PIM in the Cisco Catalyst 6500 Series FWSM
- D. configuring IGMP/PIM in the MSFC on a Cisco Catalyst 6500 switch

Correct: B C D

20. Which problem can result from end-of-rack designs?

- A. lower reliability
- B. airflow restriction
- C. more devices to manage
- D. complex spanning-tree design

Correct: B