

Lead2Passed



Lead2Passed

HOME

ALL VENDORS

★ GUARANTEE

? FAQ

TESTIMONIALS

Login / Register My Shopcart (1)

Input your exam code ...



Try before you buy

Download a free sample of any of our exam questions and answers

- ✓ Online Test Engine: Online Tool, Convenient, easy to study. Instant Online Access. Supports All Web Browsers.
- ✓ PDF format: Easy to read and print learning materials, our products are available in PDF file format.
- ✓ Desktop Test Engine: Installable Software Application. Simulates Real Exam Environment. Practice Offline Anytime.



Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.



365 Days Free Updates

Free update is available within 365 days after your purchase. After 365 days, you will get 50% discounts for updating.



Money Back Guarantee

Full refund if you fail the corresponding exam in 60 days after purchasing. And Free get any another product.



Instant Download

After Payment, our system will send you the products you purchase in mailbox in a minute after payment. If not received within 2 hours, please contact us.

<http://www.lead2passed.com>

Valid Certification Exam Dumps Materials and Study Guide -
Lead2Passed

Exam : **D-PST-OE-23**

Title : Dell PowerStore Operate 2023
Exam

Vendor : EMC

Version : DEMO

NO.1 From where can a data collection be initiated within Dell PowerStore Manager?

- A. Appliance, node, and storage resource
- B. Cluster, appliance, and alerts
- C. Cluster, appliance, and event log
- D. Node, storage resource, and alerts

Answer: B

Explanation:

Collecting Support Materials can be initiated several ways from PowerStore Manager. Data Collections can be started at the Cluster, Appliance, Storage Resource, and Alerts level.

NO.2 A Storage Administrator wants to upgrade a two appliance Dell PowerStore cluster. Which Commit options need to be chosen to have all appliances upgraded in the last step?

- A. Appliance, Cluster
- B. Appliance, Appliance
- C. Cluster, Appliance
- D. Cluster, Cluster

Answer: A

Explanation:

Appliance

- Deletes old docker images and packages
- Moves to next appliance

Cluster

- All appliances upgraded
- Marks new version as current
- Deletes old package name in GUI

NO.3 A Storage Administrator notices a Critical alert present in Dell PowerStore Manager relating to data integrity.

What action within the alert details slide-out panel is helpful in troubleshooting the problem?

- A. Select the Gather Support Materials from Service and Support
- B. Access the Repair Flow link to schedule a support engagement
- C. Examine Notifications to obtain a list of corrective actions
- D. Re-engage support through previous listed Related Events

Answer: C

NO.4 What guidance must to be considered for Service LAN port access of a Dell PowerStore appliance?

- A. Always connect multiple appliances to the same hub or switch
- B. Never connect multiple appliances to the same hub or switch
- C. Never connect the Service laptop directly to the appliance Service LAN port
- D. Always removed the management port connections on the appliance

Answer: B

Reference: <https://www.dell.com/support/article/en-pk/sln321624/powerstore-ssh-and-powerstore-manager-access-using-the-service-lan-ports?lang=en>

NO.5 A Storage Administrator needs to connect through SSH to run svc commands. How is the SSH session configured?

- A. Appliance IP address using port 22
- B. NAS server IP address using port 26
- C. NAS server IP address using port 22
- D. Appliance IP address using port 26

Answer: A

NO.6 Refer to the exhibit.



A Storage Administrator noticed a solid amber LED. What does this mean?

- A. Drive identification on
- B. Drive rebuilding
- C. Power up
- D. Drive faulted

Answer: D

Reference: <https://www.dell.com/support/article/en-pk/sln321266/powerstore-understanding-led-colors-and-states-for-troubleshooting?lang=en>

NO.7 Which type of device is supported in expansion enclosures?

- A. NVMe SCM
- B. NVMe SSD
- C. NVMe NVRAM
- D. SAS SSD

Answer: D

NO.8 How is a service laptop IP configured to connect to the Service LAN port of a Dell PowerStore node?

- A. Static IP: 128.221.1.249 and netmask: 255.255.255.0
- B. Obtain IP address from DHCP on PowerStore
- C. Static IP: 169.254.1.249 and netmask: 255.0.0.0
- D. Leave IP address and netmask unconfigured

Answer: A

NO.9 Which network traffic is encrypted using IPsec?

- A. OOB network
- B. ICD network
- C. Inter-node network
- D. ICM network

Answer: D

Reference: <https://www.dell.com/support/manuals/pk/en/pkbsd1/powerstore-9000t/pwrstr-ntwk-plang/powerstore-t-model-appliance-networks?guid=guid-97a3e988-c1bc-4f51-a445-3af23f19da1b&lang=en-us>

NO.10 When looking at the base enclosure front view, what does a solid amber drive LED indicate?

- A. Discover new drive
- B. Rebuild activity
- C. Faulted drive
- D. Normal activity

Answer: C